	OIPE
0	OCT 5 8 5001
?	TRADEMARK OF

Document 1		×
	Report 1	
Data ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Drag and drop an object, value, or predefined filter to add a filter on the report.	ŧį.
Hesont  -	Drag and drop an object, value, predefined block or template to create a block.	<b>∠</b>
	41b         Report 1         Report 2         Report 3         Structure	Values
	Apply	Refresh

FIG.






FIG. 2






FIG. 3





Document contains one or more reports.

## FIG. 4






FIG. 7

OIPE JOIR	
OCI 2 9 2001	
TRADEMAS	

	v	,
	c	=
	=	=
	C.	2
	=	=
	•	•
	Ċ	>
	ā	5
	>	ĸ
	U	,
	,-	•
	$\succeq$	2
	≥	£
	È	É
:	Ì	ś
:	a i	<b>SSSSSSSSSSSSS</b>
:	מונכם	3
:	るなれて	3
:	restin	
:	בייבים.	
•	רהפשבור)	

ment	GUI Action	Reaction - Dropping Objects	Reaction - Dropping Values	Inter-
			For more information on filters, see Filters &	action
			Rank specification	with RE
_				

4/10
<u>8</u>
Inserts dimensional or detail objects (one section for each different associated object of values dropped) with filter as sections, which begins before the block and ends after the block. In the case of dropping multiple objects, the second section will begin immediately after the first section and end immediately before the end of the first section. See adding section when section already exists.     Section < Year
Inserts dimension or detail objects (one section for each object dropped) as sections, which begins before the block and ends after the block. In the case of dropping multiple objects, the second section will begin immediately after the first section and end immediately before the end of the first section. See adding section when section already exists.     Section < Year   Sales   Country   C
When dragging dimensional or detail objects or values to the section zone with no existing sections but with an existing block, a line appears to denote where the start of the section will be (note: users cannot drop measures to this zone). Instead of the object icon, a pop up help saying, "Drop here to create a section" should be displayed.    Drop to create section
Structure Mode
Dragging & Structure dropping Mode dimensional or detail objects or values to the section zone with no existing sections but with an existing block (note: users cannot drop measures to this zone)

FIG. 8

OIPE ICIA
007 2 9 2004 25
PRADEMATO

Yes	
Inserts dimension or detail values (one section for each different associated object of values dropped) as sections, which begins before the block and ends after the block. In	the case of dropping multiple objects, the second section will begin immediately after the first section. See adding section when section already exists.     J   B     T998     Country   Sales   Country   Country   Sales   Country   C
Inserts all dimension or detail object's values (one section for each object dropped) as sections, which begins before the block and ends after the block. In the case of dropping	immediately after the first section and end immediately before the end of the first section. See adding section when section already exists.   LISA 2,000.00  France 1,500.00  Italy 800.00  France 1,300.00  France 1,300.00  France 1,300.00  France 1,300.00  France 1,300.00  France 1,300.00
When dragging dimensional or detail objects or values to the section zone with no existing sections but with an existing block, a line appears to	will be (note: users cannot drop measures to this zone). Instead of the object icon, a pop up help saying "Drop here to create a section" should be displayed.    Drop to create section"   Drop to create   Drop
Values	

FIG. 9



1) Action None	Result
None	$T_1$ $T_2$
2) D&D level <country></country>	section <country></country>
3) D&D member <usa></usa>	section <country></country>
4) D&D level <state></state>	section <country>  COUNTRY  T  T  section <state>  STATE  T  end section <state> end section <country></country></state></state></country>

FIG. 10A






FIG. 10E

OTP E JOJOS TELES

Filter Definition Wizard	
Filter name: STATE	
Object to filter:	Keep:   O Top O Bottom O Top & Bottom
SALES REV.   Choose an expression:  Choose an expression:  Values  Values  Prompt  Top(n)/Bottom(n)	● Number ○ Percent ○ Cumulative Sum
	Help ————————————————————————————————————
	OK Cancel Help

Note: The Help section changes depending on the selection (Number, Percent, Cumulative sum).

Property	Help Text
Number	Keeps top/bottom set number of values
Percent	Keeps values until sum is the percentage of total
Cumulative Sum	Keeps values until sum is the set value

FIG. 10C




FIG. 11



Year	Sales
1999 🔍	100
2000	150
2001	140

FIG. 12

Drill Down Drill Up		
Drill By Set as Drill Filter	<b>♪</b>	Quarter Month
		Country State City
		More

FIG. 13